

### SAFETY DATA SHEET

1. Identification

Product identifier

P.A.W.S.® Wipe

Other means of identification

Not available.

Recommended use

Not available.

Recommended restrictions

None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Manufacturer:

Safetec of America, Inc.

887 Kensington Avenue

Buffalo, NY 14215

Company Telephone:

1-716-895-1822

E-mail Address:

www.safetec.com 1-800-255-3924

Emergency Telephone:

Refer to Manufacturer

2. Hazard(s) identification

Physical hazards

Flammable liquids

Category 3

Health hazards

Supplier

Serious eye damage/eye irritation

Category 2A Specific target organ toxicity, single exposure Category 3 narcotic effects

**Environmental hazards** 

OSHA defined hazards

This mixture does not meet the classification criteria according to OSHA HazCom 2012.

This mixture does not meet the classification criteria according to OSHA HazCom 2012.

Label elements





Signal word

Danger

Hazard statement

Flammable liquid and vapor, Causes serious eye irritation, May cause drowsiness or dizziness.

Precautionary statement

Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking, Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing mist or vapor. Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.

Response

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. If eye irritation persists: Get medical advice/attention. In case of fire: Use appropriate media for extinction.

Storage

Keep cool. Store in a well-ventilated place. Keep container tightly closed.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information

None.

#### 3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%	
Ethanol	Alcohol	64-17-5	64.4	
	Ethyl Alcohol			

Chemical name	Common name and synonyms	CAS number	%	
Triethanolamine	2,2',2"-Nitrilotriethanol Tris(2-hydroxyethyl)amine	102-71-6	< 0.30	

#### 4. First-aid measures

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

Get medical attention if symptoms persist,

Skin contact Wash off with warm water and soap. Get medical attention if symptoms occur. Eye contact

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. Get medical attention if symptoms persist.

If swallowed, rinse mouth with water (only if the person is conscious). Do not induce vomiting

without advice from poison control center. Get medical attention,

Most important symptoms/effects, acute and delayed

Ingestion

Causes serious eye irritation. Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis. May cause drowsiness or dizziness.

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

# 5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media

Dry chemicals. Foam. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

The product is combustible, and heating may generate vapors which may form explosive vapor/air mixtures. Thermal decomposition or combustion may liberate toxic gases or fumes.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

Cool containers exposed to heat with water spray and remove container, if no risk is involved.

General fire hazards

Flammable liquid and vapor.

Hazardous combustion

Carbon oxides.

products

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep unnecessary personnel away. Wear appropriate personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Absorb spill with vermiculite or other inert material, then place in a sealed container for chemical

Large Spills: Flush with plenty of water. Prevent entry into waterways, sewer, basements or confined areas. Dike for later disposal.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

Precautions for safe handling

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Eliminate all sources of ignition. Take precautionary measures against static discharges. Ground/bond container and receiving equipment. Use explosion-proof equipment. Use only non-sparking tools. When using, do not eat, drink or smoke. Wear appropriate personal protective equipment. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Use only with adequate ventilation. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities Do not store around flammable or combustible materials. Store in tightly closed original container in a well-ventilated place. Keep cool. Store locked up.

#### 8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	
Ethanol (CAS 64-17-5)	PEL	1900 mg/m3	
		1000 ppm	
US. ACGIH Threshold Limit Valu	ies		
Components	Туре	Value	
Ethanol (CAS 64-17-5)	STEL	1000 ppm	····
Triethanolamine (CAS	TWA	5 mg/m3	
102-71-6)			
US. NIOSH: Pocket Guide to Che	emical Hazards		
Components	Туре	Value	
Ethanol (CAS 64-17-5)	TWA	1900 mg/m3	

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering

Explosion-proof general and local exhaust ventilation.

controls

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection

Chemical resistant gloves recommended.

Other

Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health or safety professional or manufacturer for specific information.

Respiratory protection

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Contact health and safety professional or

1000 ppm

manufacturer for specific information.

equipment to remove contaminants.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

## 9. Physical and chemical properties

Appearance

Towelette.

Physical state

Liquid.

Form

Towelette.

Color

Colorless.

Odor

Mild alcohol odor.

Odor threshold

Not available.

рН

5 - 10

Melting point/freezing point

Not available.

Initial boiling point and boiling

Not available.

range

Flash point

81.0 °F (27.2 °C) Open Cup

**Evaporation rate** 

Not available.

Flammability (solid, gas)

Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

3.3 %

(%)

Flammability limit - upper

19 %

(%)

Explosive limit - lower (%)

Not available,

Explosive limit - upper (%) Not available.

Vapor pressure

Not available.

Vapor density

Not available.

Relative density

Not available.

Solubility(ies)

Solubility (water)

Moderate.

Partition coefficient

Not available.

(n-octanol/water)

Auto-ignition temperature

Not available.

Decomposition temperature Viscosity

Not available.

Other information

Specific gravity

0.89

### 10. Stability and reactivity

Reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport,

Chemical stability

Stable at normal conditions,

Possibility of hazardous reactions

Hazardous polymerization does not occur.

Conditions to avoid

Keep away from heat, sparks and open flame. High temperatures.

Incompatible materials

Strong oxidizing agents. Acids.

Hazardous decomposition

products

Carbon oxides.

#### 11. Toxicological information

### Information on likely routes of exposure

Inhalation

May cause drowsiness or dizziness.

Skin contact

Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

Eye contact

Causes serious eye irritation.

Ingestion

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Most important

symptoms/effects, acute and

delayed

Causes serious eye irritation. Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis. May cause drowsiness or dizziness.

### Information on toxicological effects

Acute toxicity Components Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Ethanol (CAS 64-17-5)

Acute

LD50

Dermal

Rabbit

Species

> 15800 mg/kg

**Test Results** 

Inhalation

LC50

Rat

> 32380 ppm, 4 hours (vapor)

> 61 mg/l, 4 hours (vapor)

Oral

LD50

Rat

7060 mg/kg

Triethanolamine (CAS 102-71-6)

Acute

Dermal

LD50

Rabbit

> 19870 mg/kg

Inhalation

LC50

Rat

No data in literature

Components Species **Test Results** Oral LD50 Rat 6110 mg/kg Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis. Skin corrosion/irritation Serious eye damage/eye Causes serious eye irritation. irritation Respiratory or skin sensitization This product is not expected to cause respiratory sensitization. Respiratory sensitization Skin sensitizer This product is not expected to cause skin sensitization. Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity IARC Monographs. Overall Evaluation of Carcinogenicity Triethanolamine (CAS 102-71-6) 3 Not classifiable as to carcinogenicity to humans. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not listed. Reproductive toxicity This product is not expected to cause reproductive effects. May cause drowsiness or dizziness. single exposure

Specific target organ toxicity -

Specific target organ toxicity -

repeated exposure

Not classified as a specific target organ toxicity -repeated exposure.

Aspiration toxicity Not expected to be an aspiration hazard.

### 12. Ecological information

The product is not classified as environmentally hazardous. **Ecotoxicity** 

outomorty	The product is not observed as sittle and the sittl		
Components		Species	Test Results
Ethanol (CAS 64-17-5)			
Aquatic			
Acute			
Algae	EC50	Green algae (Selenastrum capricornutum)	1000 mg/l, 96 hours
Crustacea	EC50	Water flea (Daphnia magna)	5012 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	> 100 mg/l, 96 hours
Triethanolamine (CAS 102-7	71-6)		
Aquatic			
Acute			
Algae	EC50	Green algae (Desmodesmus subspicatus)	512 mg/l, 72 hours
Crustacea	EC50	Water flea (Ceriodaphnia affinis)	609.88 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	11800 mg/l, 96 hours
Chronic			
Crustacea	NOEC	Water flea (Daphnia magna)	16 mg/l, 21 days
ersistence and degradability ioaccumulative potential	Not available. Not available.		

-0.31

Pe

Partition coefficient n-octanol / water (log Kow)

Ethanol

Triethanolamine -1

Mobility in soil

Not available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

### 13. Disposal considerations

**Disposal instructions** 

Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emplied.

#### 14. Transport information

#### DOT

**UN** number UN1170

UN proper shipping name Transport hazard class(es)

Ethanol solution (Ethanol RQ = 155 LBS)

Class 3 Subsidiary risk Label(s) 3 Packing group Ш

Special precautions for user Not available. Special provisions 24, B1, IB3, T2, TP1

Packaging exceptions 4b, 150 Packaging non bulk 203 Packaging bulk 242

IATA

**UN** number UN1170

UN proper shipping name Transport hazard class(es)

Ethanol Solution (Ethanol)

Class 3 Subsidiary risk Packing group Ш **Environmental hazards** No.

**ERG Code** 3L

Special precautions for user Not available.

Other information

Passenger and cargo

aircraft

Allowed.

Cargo aircraft only

Allowed.

**IMDG** 

**UN** number

UN1170

UN proper shipping name

Ethanol Solution (Ethanol)

Transport hazard class(es)

Class Subsidiary risk

3

Packing group **Environmental hazards** 

Ш

Marine pollutant

No. F-E, S-D

Special precautions for user Not available.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not available.

the IBC Code

**EmS** 



IATA; IMDG



### 15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Ethanol (CAS 64-17-5)

Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

#### **US** state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. Massachusetts RTK - Substance List

Ethanol (CAS 64-17-5)

Triethanolamine (CAS 102-71-6)

### US. New Jersey Worker and Community Right-to-Know Act

Ethanol (CAS 64-17-5)

Triethanolamine (CAS 102-71-6)

# US. Pennsylvania Worker and Community Right-to-Know Law

Ethanol (CAS 64-17-5)

Triethanolamine (CAS 102-71-6)

#### US. Rhode Island RTK

Not regulated.

#### US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

### US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Ethanol (CAS 64-17-5)

Listed: April 29, 2011

Listed: July 1, 1988

## US - California Proposition 65 - CRT: Listed date/Developmental toxin

Inventory name

Ethanol (CAS 64-17-5)

Listed: October 1, 1987

#### International Inventories

Country(s) or region

		On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No.
China	Inventory of Existing Chemical Substances in China (IECSC)	
		No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	NO
	• •	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philipping Inventory of Chaminals and Observed Co. 1	163
типринос	Philippine Inventory of Chemicals and Chemical Şubstances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

No \*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

Issue date

02-23-2015

Version #

01

Disclaimer

Prepared by: ICC The Compliance Center Inc. 1-888-442-9628

http://www.thecompliancecenter.com

Disclaimer

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by / obtained from and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc. and expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed

knowledge and permission of ICC The Compliance Center Inc. and

**Revision Information** 

Composition / Information on Ingredients: Disclosure Overrides

Physical & Chemical Properties: Multiple Properties

Bibliography

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices (2014)

Canadian Centre for Occupational Health and Safety, CCInfoWeb Databases, 2014

(Chempendium, RTECs, HSDB, INCHEM)

European Chemicals Bureau, Existing Chemicals Work Area, EINECS Information System, 2014,

Material Safety Data Sheet from manufacturer.

OECD - The Global Portal to Information on Chemical Substances - eChemPortal, 2014.

On invantant heads - 14