

Part of Thermo Fisher Scientific

SAFETY DATA SHEET

Creation Date 28-Jan-2010

Revision Date 22-Apr-2015

Revision Number 1

1. Identification Buffer Solution, pH 10.00, Color-Coded Blue

SB115-4, SB115-20, SB115-500

Product Name

Cat No. :

Synonyms

No information available

Recommended Use Laboratory chemicals.

Uses advised against No Information available Details of the supplier of the safety data sheet

Company Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100 Emergency Telephone Number CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

2. Hazard(s) identification

Classification

Classification under 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Based on available data, the classification criteria are not met

Label Elements

None required

Hazards not otherwise classified (HNOC) None identified

3. Composition / information on ingredients

Component	CAS-No	Weight %
Water	7732-18-5	97.78
Ethylenediaminetetraacetic acid, disodium salt dihydrate	6381-92-6	1.0
Potassium carbonate	584-08-7	0.6
Boron potassium oxide (B4K2O7)	1332-77-0	0.4
Potassium hydroxide	1310-58-3	0.2

4. First-aid measures			
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.		
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur.		
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. Get medical attention immediately if symptoms occur.		
Ingestion	Do not induce vomiting. Obtain medical attention.		
Most important symptoms/effects Notes to Physician	No information available. Treat symptomatically		

5. Fire-fighting measures			
Suitable Extinguishing Media	Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.		
Unsuitable Extinguishing Media	No information available		
Flash Point Method -	No information available No information available		
Autoignition Temperature Explosion Limits	No information available		
Upper Lower Sensitivity to Mechanical Impac Sensitivity to Static Discharge	No data available No data available t No information available No information available		

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

Thermal decomposition can lead to release of irritating gases and vapors

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

<u>NFPA</u> Health 1	Flammability 0	Instability 0	Physical hazards N/A
	6. Accidental rel	ease measures	
Personal Precautions	Use personal protective equipment. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing.		
Environmental Precautions	Should not be released into the environment. See Section 12 for additional ecological information.		

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Up

	7. Handling and storage
Handling	Wear personal protective equipment. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Do not breathe vapors or spray mist.
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
Boron potassium oxide (B4K2O7)	TWA: 2 mg/m ³ STEL: 6 mg/m ³		
Potassium hydroxide	Ceiling: 2 mg/m ³	(Vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³
Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV
Potassium hydroxide	Ceiling: 2 mg/m ³		CEV: 2 mg/m ³

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures	Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.	
Personal Protective Equipment		
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.	
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.	
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.	
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.	

9. Physical and chemical properties			
Physical State	Liquid		
Appearance	Blue		
Odor	Odorless		
Odor Threshold	No information available		
рН	10.0		
Melting Point/Range	0 °C / 32 °F		
Boiling Point/Range	100 °C / 212 °F		
Flash Point	No information available		
Evaporation Rate	> 1 (Water = 1.0)		
Flammability (solid,gas)	No information available		
Flammability or explosive limits			
Upper	No data available		
Lower	No data available		
Vapor Pressure	No information available		
Vapor Density	No information available		
Specific Gravity	1.013 @ 25°C		
Solubility	Soluble in water		
Partition coefficient; n-octanol/water	No data available		
Autoignition Temperature	No information available		
Decomposition Temperature	No information available		
Viscosity	No information available		

10. Stability and reactivity

Reactive Hazard	None known, based on information available	
Stability	Stable under normal conditions.	
Conditions to Avoid	Excess heat.	
Incompatible Materials	None known	
Hazardous Decomposition Products Thermal decomposition can lead to release of irritating gases and vapors		
Hazardous Polymerization	Hazardous polymerization does not occur.	
Hazardous Reactions	None under normal processing.	

11. Toxicological information

Acute Toxicity

No acute toxicity information is available for this product

Product Information

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	Not listed	Not listed
Potassium carbonate	> 2000 mg/kg (Rat)	Not listed	Not listed
Potassium hydroxide	LD50 = 284 mg/kg (Rat)	Not listed	Not listed

Toxicologically Synergistic No information available Products Delayed and immediate effects as well as chronic effects from short and long-term exposure

No information available Irritation

Sensitization

No information available

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Water	7732-18-5	Not listed	Not listed	Not listed	Not listed	Not listed
Ethylenediaminetetraa cetic acid, disodium salt dihydrate	6381-92-6	Not listed	Not listed	Not listed	Not listed	Not listed
Potassium carbonate	584-08-7	Not listed	Not listed	Not listed	Not listed	Not listed
Boron potassium oxide (B4K2O7)	1332-77-0	Not listed	Not listed	Not listed	Not listed	Not listed
Potassium hydroxide	1310-58-3	Not listed	Not listed	Not listed	Not listed	Not listed
Mutagenic Effects		No information ava	ailable		<u>^</u>	

Reproductive Effects	No information available.
Developmental Effects	No information available.
Teratogenicity	No information available.
STOT - single exposure STOT - repeated exposure	None known None known
Aspiration hazard	No information available
Symptoms / effects,both acute and	No information available
delayed Endocrine Disruptor Information	No information available

Other Adverse Effects

The toxicological properties have not been fully investigated. See actual entry in RTECS for complete information.

12. Ecological information

Ecotoxicity

Do not empty into drains.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea		
Potassium carbonate	Not listed	LC50 <510 mg/L/96h (Pimephales promelas)	Not listed	Not listed		
Potassium hydroxide Not listed		LC50: = 80 mg/L, 96h static (Gambusia affinis)	Not listed	Not listed		
Persistence and Degradability No information available						

Bioaccumulation/Accumulation

No information available.

Mobility

Component	log Pow
Potassium hydroxide	0.83

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

	14. Transport information		
DOT TDG IATA	Not regulated		
TDG	Not regulated		
IATA	Not regulated		
IMDG/IMO	Not regulated		
15. Regulatory information			

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Water	Х	Х	-	231-791-2	-		Х	-	Х	Х	Х
Ethylenediaminetetraacetic acid, disodium salt dihydrate	-	Х	-	-	-		Х	-	Х	Х	-
Potassium carbonate	Х	Х	-	209-529-3	-		Х	Х	Х	Х	Х
Boron potassium oxide (B4K2O7)	Х	Х	-	215-575-5	-		Х	-	Х	Х	Х
Potassium hydroxide	Х	Х	-	215-181-3	-		Х	Х	Х	Х	Х

Legend:

X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b)	Not applicable
SARA 313	Not applicable

SARA 313	
----------	--

SARA 311/312 Hazard Categories	
Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Potassium hydroxide	Х	1000 lb	-	-

Clean Air Act

Not applicable

OSHA Occupational Safety and Health Administration Not applicable

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs	
Potassium hydroxide	1000 lb	-	
	durat dans wet southing and Draw sitis a OF sh		

California Proposition 65 This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Water	-	-	Х	-	-
Boron potassium oxide (B4K2O7)	-	Х	-	-	-
Potassium hydroxide	Х	Х	Х	-	Х

U.S. Department of Transportation

Reportable Quantity (RQ):	Y
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade

No information available

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class

Non-controlled

16. Other information

Prepared By

Regulatory Affairs

Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com

Creation Date Revision Date Print Date Revision Summary 28-Jan-2010 22-Apr-2015 22-Apr-2015 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS