# **Safety Data Sheet**

Issue Date: 27-Feb-2009 Revision Date: 25-Nov-2013 Version 1

## 1. IDENTIFICATION

Product Identifier

**Product Name** 

Power Spray Plus

Other means of identification

SDS#

WC-001

**Product Code** 

#42

Recommended use of the chemical and restrictions on use

Recommended Use

Liquid cleaner, degreaser, stripper, solvent.

Details of the supplier of the safety data sheet

Supplier Address

Saffelle Inc.

345 Elizabeth Brady Rd.

Hillsborough, NC 27278

Emergency Telephone Number

Company Phone Number

(919) 245-0153

Emergency Telephone (24 hr) (919) 245-0153

2. HAZARDS IDENTIFICATION

#### Z. HAZARDS IDENTIFICATION

Appearance Green liquid

Physical State Liquid

Odor Almond

#### Classification

Skin corrosion/irritation	Category 1	
Serious eye damage/eye irritation	Category 1	

# Signal Word

Danger

## **Hazard Statements**

Causes severe skin burns and eye damage



#### Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

WC-001 - Power Spray Plus Revision Date: 25-Nov-2013

#### Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a poison center or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a poison center or doctor/physician

IF SWALLOWED: rinse mouth. Do NOT induce vomiting

#### Precautionary Statements - Storage

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Ethylene Glycol Monobutyl Ether	111-76-2	Proprietary
Sodium Silicate	1344-09-8	Proprietary
Nonylphenoxypoly-(Ethyleneoxy) Ethanol	26027-38-3	Proprietary
Sodium hydroxide	1310-73-2	Proprietary

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

## 4. FIRST-AID MEASURES

## First Aid Measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek

immediate medical attention/advice.

Skin Contact Wash off immediately with plenty of water. Take off contaminated clothing. Wash

contaminated clothing before reuse.

Inhalation Remove to fresh air. Call a physician immediately.

Ingestion Dilute with milk or water. Neutralize by taking 2 tablespoons of vinegar.

#### Most important symptoms and effects

**Symptoms** Contact will cause irritation and redness to exposed areas.

#### Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Water. Foam. Dry chemical.

Unsuitable Extinguishing Media Not determined.

## Specific Hazards Arising from the Chemical

Not Applicable.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### **6. ACCIDENTAL RELEASE MEASURES**

#### Personal precautions, protective equipment and emergency procedures

**Personal Precautions** 

Use personal protective equipment as required.

#### Methods and material for containment and cleaning up

**Methods for Containment** 

Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up

Collect with dry sand, clay, or other absorbent. Sweep up and shovel into suitable

containers for disposal.

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on Safe Handling

Wash thoroughly after handling. Use personal protection recommended in Section 8. Do

not breathe dust/fume/gas/mist/vapors/spray.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Incompatible Materials

Strong acids.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethylene Glycol Monobutyl Ether 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m³ (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m³
Sodium hydroxide 1310-73-2	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup> (vacated) Ceiling: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m³ Ceilina: 2 ma/m³

#### Appropriate engineering controls

**Engineering Controls** 

Local exhaust ventilation recommended.

#### Individual protection measures, such as personal protective equipment

Eye/Face Protection

Wear eye/face protection.

Skin and Body Protection

Wear suitable gloves.

**Respiratory Protection** 

Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

**Physical State** 

**Appearance** Color

Liquid

Green liquid

Odor

Almond

Odor Threshold

Not determined

Property

<u>Values</u> 13

рΗ Melting Point/Freezing Point

**Boiling Point/Boiling Range** 

Flash Point

None Not available

**Evaporation Rate** Flammability (Solid, Gas)

**Upper Flammability Limits** 

Lower Flammability Limit

Vapor Pressure Vapor Density

**Specific Gravity** Water Solubility

Solubility in other solvents **Partition Coefficient Auto-ignition Temperature Decomposition Temperature** 

Kinematic Viscosity **Dynamic Viscosity Explosive Properties Oxidizing Properties** 

Green

Not available

n/a-liquid

None

None

1.06

100 °C / 212 °F

Not determined

Completely soluble

Not available

Remarks • Method

(1=Water)

Revision Date: 25-Nov-2013

# 10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

**Chemical Stability** 

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions** 

None under normal processing.

**Hazardous Polymerization** 

Hazardous polymerization does not occur.

**Conditions to Avoid** 

Keep out of reach of children.

**Incompatible Materials** 

Strong acids.

**Hazardous Decomposition Products** 

None known based on information supplied.

# 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Product Information** 

**Eye Contact** 

Causes severe eye damage.

**Skin Contact** 

Causes severe skin burns.

Inhalation

Avoid breathing vapors or mists.

Ingestion

Do not taste or swallow.

## Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ethylene Glycol Monobutyl Ether 111-76-2	= 470 mg/kg (Rat)	= 2270 mg/kg (Rat) = 220 mg/kg (Rabbit)	= 2.21 mg/L (Rat) 4 h = 450 ppm (Rat) 4 h
Sodium Silicate 1344-09-8	= 1153 mg/kg (Rat)	> 4640 mg/kg ( Rabbit )	-
Nonylphenoxypoly-(Ethyleneoxy) Ethanol 26027-38-3	•	= 1800 µL/kg (Rabbit)	-
Urea 57-13-6	= 8471 mg/kg (Rat)	-	-
Sodium hydroxide 1310-73-2	-	= 1350 mg/kg (Rabbit)	-

## Information on physical, chemical and toxicological effects

**Symptoms** 

Please see section 4 of this SDS for symptoms.

Revision Date: 25-Nov-2013

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

# Carcinogenicity

Not classifiable as a human carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethylene Glycol Monobutyl Ether 111-76-2	А3	Group 3		

#### Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

## Numerical measures of toxicity

Not determined

# 12. ECOLOGICAL INFORMATION

# **Ecotoxicity**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Ethylene Glycol Monobutyl		1490: 96 h Lepomis		1698 - 1940: 24 h Daphnia
Ether		macrochirus mg/L LC50		magna mg/L EC50 1000: 48
111-76-2		static 2950: 96 h Lepomis		h Daphnia magna mg/L
1		macrochirus mg/L LC50		EC50
Sodium Silicate	·	301 - 478: 96 h Lepomis		216: 96 h Daphnia magna
1344-09-8		macrochirus mg/L LC50		mg/L EC50
1		3185: 96 h Brachydanio rerio		
		mg/L LC50 semi-static		
Urea		16200 - 18300: 96 h Poecilia		10000: 24 h Daphnia magna
57-13-6		reticulata mg/L LC50		Straus mg/L EC50 3910: 48
		1		h Daphnia magna mg/L
				EC50 Static
Sodium hydroxide		45.4: 96 h Oncorhynchus		
1310-73-2		mykiss mg/L LC50 static		

# Persistence/Degradability

Not determined.

# **Bioaccumulation**

Not determined.

#### **Mobility**

Chemical Name	Partition Coefficient
Ethylene Glycol Monobutyl Ether	0.81
111-76-2	

# Other Adverse Effects

Not determined

Revision Date: 25-Nov-2013

# 13. DISPOSAL CONSIDERATIONS

# **Waste Treatment Methods**

**Disposal of Wastes** 

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated Packaging** 

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

# US EPA Waste Number

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Nonylphenoxypoly-(Ethylene		Included in waste stream:		
oxy) Ethanol		K060		
26027-38-3				

## California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Sodium hydroxide	Toxic
1310-73-2	Corrosive

# 14. TRANSPORT INFORMATION

DOT

Not regulated

<u>IATA</u>

Not regulated

IMDG

Not regulated

# 15. REGULATORY INFORMATION

#### International Inventories

Not determined

#### US Federal Regulations

## **CERCLA**

1	Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
	Sodium hydroxide	1000 lb		RQ 1000 lb final RQ
-	1310-73-2			RQ 454 kg final RQ

## **SARA 313**

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Ethylene Glycol Monobutyl Ether - 111-76-2	111-76-2	Proprietary	1.0

# CWA (Clean Water Act)

Component	CWA - Reportable	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous
·	Quantities		_	Substances
Sodium hydroxide	1000 lb			X
1310-73-2 ( Proprietary )				

#### **US State Regulations**

# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethylene Glycol Monobutyl Ether 111-76-2	X	X	X
Sodium hydroxide 1310-73-2	X	Х	Х

# **16. OTHER INFORMATION**

NFPA

**Health Hazards** 

**Flammability** Not determined

Instability Not determined **Physical Hazards**  Special Hazards Not determined **Personal Protection** 

Revision Date: 25-Nov-2013

HMIS

Not determined **Health Hazards** 

Flammability

Not determined

Issue Date:

27-Feb-2009 25-Nov-2013

**Revision Date: Revision Note:** 

New format

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**